



# Product Code: XR2H

## xtra by Foster 1/2 Refrigerated Counter

---



## Features & Benefits

---

- The xtra range: Built for you, designed for your budget
- Reliable and robust refrigeration at an affordable price
- In stock and available now for immediate shipping
- Robust stainless steel finish
- Easy read microprocessor controller provides simple and accurate temperature control
- Full Foster 2 years parts and labour warranty

## Shelving

|                                  |          |
|----------------------------------|----------|
| <b>2 shelves GN1/1</b>           | Standard |
| <b>Additional S/S Trayslides</b> | Option   |
| <b>Additional GN1/1 Shelf</b>    | Option   |

## Refrigeration

|                                  |          |
|----------------------------------|----------|
| <b>R290 - Energy Efficient</b>   | Standard |
| <b>R134a - Industry Standard</b> | Option   |

## Specification

|                             |          |
|-----------------------------|----------|
| <b>Refrigerator +2/+8°C</b> | Standard |
| <b>Width (mm)</b>           | 1330     |
| <b>Depth (mm)</b>           | 700      |
| <b>Height (mm)</b>          | 855      |
| <b>Gross Volume (Ltr)</b>   | 280      |

## Base Fittings

|                                    |        |
|------------------------------------|--------|
| <b>Remote Refrigeration System</b> | Option |
| <b>Legs 100mm</b>                  | Option |
| <b>Legs 150mm</b>                  | Option |

## Electrical & Service Data

|                                   |          |
|-----------------------------------|----------|
| <b>Connect Load</b>               | 425      |
| <b>230/50/1</b>                   | Standard |
| <b>220/60/1 Electrical Supply</b> | Option   |
| <b>Fuse Required (A)</b>          | 10       |
| <b>Refrigerant Charge (kg)</b>    | 0.240    |

## Finish

|                              |          |
|------------------------------|----------|
| <b>s/s ext &amp; alu int</b> | Standard |
|------------------------------|----------|

## Doors

|                       |          |
|-----------------------|----------|
| <b>Solid</b>          | Standard |
| <b>Basket drawers</b> | Option   |

## Product Extras

|                             |        |
|-----------------------------|--------|
| <b>Splashback</b>           | Option |
| <b>Stainless steel rear</b> | Option |

## Energy

|                                 |          |
|---------------------------------|----------|
| <b>kWh (24 hours)</b>           | 3.6366   |
| <b>AEC</b>                      | 1327.35  |
| <b>Nett Volume</b>              | 184.3075 |
| <b>Energy Grade</b>             | D        |
| <b>Global Warming Potential</b> | 1430     |
| <b>Energy Efficiency Index</b>  | 58.71    |

# Energy Performance Data and information

---

## **Application**

This appliance is intended for use in ambient temperatures up to {1}°C

## **Safety**

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

## **Recycling**

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU

Phone 08432 168800 | Email [sales@foster-uk.com](mailto:sales@foster-uk.com) | Visit [www.fosterrefrigerator.com](http://www.fosterrefrigerator.com)

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.