



The Refrigeration Experts

Product specification



BCT38/18: 38kg/ 18kg Blast Chiller and Freezer

17-277

38kg Blast chiller/freezer cabinet

Features and benefits

- Chilling capacity 70°C to 3°C in less than 90 minutes within specifications. Entry temperature up to 90°C for chilling
- Freezing capacity from +70°C to -18°C in less than 240 minutes within specifications
- Dedicated 38Kg blast chiller with occasional 18Kg freeze capacity
- Exceeding UK and European food safety requirements
- High grade 304 exterior and interior the 'gold standard' in performance finishes
- Intuitive touch control panel – just press and go!
- 10 Shelf Positions for GN 1/1 Pans

We use cookies to ensure you get the best experience on our website.
[More information.](#)

Accept all

Decline all

Technical

Refrigerant	R290
Electrical supply	230/50/1
Fuse rating (A)	13
Current (A)	5.7
Power (W)	1300
Refrigerant mass (g)	140
Thermal heat rejection (W)	1300

Build

Finish ext/int	304 S/S & 304 S/S
Number of sections	1
Section configuration	Right hinge
System	Integral

Dimensions

Height (mm)	1515
Width (mm)	805
Depth (mm)	755
Gross volume (ltr)	350
Net volume (ltr)	210
Chilling capacity (kg)	38
Freezing capacity (kg)	18
Leg type	Braked castors
GN size	1/1
Gross weight (kg)	170
Net weight (kg)	130

Energy

Climate Class	5
Freezing capacity (kg)	18
GWP	3

Options

Hinge	Left
RS485 connection for HACCP data logging	Yes
System	Remote
Electrical supply	220/60/1

We use cookies to ensure you get the best experience on our website.
[More information.](#)

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
+44 (0)1553 691122 | sales@foster-gamko.com |
www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.
[More information.](#)