

Product specification



BCT52/26: 52kg/ 26kg Blast Chiller and Freezer

17-283

52kg Blast chiller/freezer cabinet

Features and benefits

- Chilling capacity 70°C to 3°C in less than 90 minutes within specifications. Entry temperature up to 90°C for chilling
- Freezing capacity from +70°C to -18°C in less than 240 minutes within specifications
- Dedicated 52Kg blast chiller with occasional 26Kg freeze capacity
- Exceeding UK and European food safety requirements
- High grade 304 exterior and interior the 'gold standard' in performance finishes
- Intuitive touch control panel just press and go!
- 14 Shelf Positions for GN 1/1 Pans

We use cookies to ensure you get the best experience on our website. <u>More information.</u>

Accept all Decline all

Technical

Refrigerant R452A 230/50/1 Electrical supply Fuse rating (A) 16 Current (A) 9.8 Power (W) 2500 Refrigerant 1800 mass (g) Thermal heat 2500 rejection (W)

Build

Finish ext/int 304 S/S & 304 S/S

Number of 1 sections

Section Right hinge

configuration

System Integral

We use cookies to ensure you get the best experience on our website. <u>More information.</u>

Dimensions

Height (mm) 1790 Width (mm) 805 Depth (mm) 755 **Gross volume** 471 (ltr) **Net volume** 280 (ltr) Chilling 52 capacity (kg) Freezing 26 capacity (kg) Braked Leg type

castors

1/1

210

130

Energy

Climate Class 5
Freezing 26
capacity (kg)
GWP 2140

Options

GN size

(kg)

(kg)

Gross weight

Net weight

Hinge Left

RS485 connection for Yes **HACCP data logging**

System Remote

Electrical supply 220/60/1

We use cookies to ensure you get the best experience on our website. More information. Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU +44 (0)1553 691122 | sales@foster-gamko.com | www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website. <u>More information.</u>