

# Product specification



BFT52: 52kg Blast Freezer

17-286

52kg Blast freezer cabinet

#### Features and benefits

- Freezing capacity from +70°C to -18°C in less than 240 minutes within specifications
- Dedicated 52Kg blast freezer (can also operate as a blast chiller as required)
- Exceeding UK and European food safety requirements
- High grade 304 exterior and interior the 'gold standard' in performance finishes
- Intuitive touch control panel just press and go!

We use cookies to ensure you get the best experience on our website. <u>More information.</u>

Accept all Decline all

#### **Technical**

Refrigerant R452A

Electrical 400/440/50/60/3

3500

supply

Fuse rating (A) 10

Current (A) 6.2

Power (W) 4300

Refrigerant mass (g)

Build

Finish ext/int 304 S/S &

304 S/S

1

Number of

sections

Section configuration

Right hinge

**System** Integral

#### **Dimensions**

Height (mm) 1790 Width (mm) 805

Depth (mm) 755

**Gross volume** 

(ltr)

**Net volume** 280

(ltr)

52 Chilling

capacity (kg)

52 Freezing capacity (kg)

**Braked** Leg type

castors

282

**GN** size 1/1

**Gross weight** 170

(kg)

Not watcht

## Energy

**Climate Class** 5

Freezing 52 capacity (kg)

**GWP** 2140

We use cookies to ensure you get the best experience on our website. More information.

### **Options**

**Hinge** Left

**RS485 connection for** Yes **HACCP data logging** 

**System** Remote

Electrical supply 220/60/1

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU +44 (0)1553 691122 | sales@foster-gamko.com | www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website. <u>More information.</u>