



The Refrigeration Experts

Product specification



F302: 290kg Air Cooled Ice Cuber

28-114

Modular air cooled ice cuber - head only

Features and benefits

- Innovatively designed with new user-friendly electro-mechanical controls to ensure reliability
- Ice machine head only
- Hygienic food safe production of ice ensure ice can be enjoyed by consumer
- Provides 290kg per 24hrs of quality, clear ice.

We use cookies to ensure you get the best experience on our website.
[More information.](#)

Accept all

Decline all

Technical

Refrigerant	R452a
Electrical supply	220-240/50/1
Fuse rating (A)	16
Current (A)	7.7
Power (W)	1400
Refrigerant mass (g)	850

Build

Finish ext/int	S/S & S/S
System	Machine Unit

Dimensions

Height (mm)	575
Width (mm)	760
Depth (mm)	620
Gross weight (kg)	86
Net weight (kg)	71

Energy

Climate Class	5
AEC (kWh)	9198
GWP	2141
Energy consumption (kWh/24hr)	25.2

Options

We use cookies to ensure you get the best experience on our website.
[More information.](#)

Footnotes

- A minimum clearance of 15cm (6") must be left at the sides of the machine for routing cooling air drawn into and exhausted out of the compartment to maintain a proper condensing operation
- Maximum ambient air temperature 40°C; maximum input water temperature 35°C
- 150mm gap required either side for airflow Water: 3/4" BSP
- Please remember to include appropriate collar size at the time of your ice machine purchase.
- Dimension specification refers to overall size of ice maker product including head, collar and bin.
- Drain: 20mm
- Ice cubed: 24 x 22 x 22mm
- Images gallery includes all configurable head and bin options

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
+44 (0)1553 691122 | sales@foster-gamko.com |
www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.
[More information.](#)