



The Refrigeration Experts

## Product specification



### KM205/255: Ice Machine Bin Collar

28-123

Modular air cooled ice cuber - collar only

## Features and benefits

- Ice machine bin collar designed to accommodate a variety of bin heads
- Superior design ensures secure fit, surrounding the head to the bin easily and effectively
- Collar should be purchased with F132 Ice machine head for SB205 bin

Build

We use cookies to ensure you get the best experience on our website.  
[More information.](#)

Accept all

Decline all

## Dimensions

<b>Height (mm)</b>	600
<b>Width (mm)</b>	830
<b>Depth (mm)</b>	630
<b>Gross weight (kg)</b>	7
<b>Net weight (kg)</b>	5

## Options

## Footnotes

- A minimum clearance of 15cm (6") must be left at the sides of the machine for routing cooling air drawn into and exhausted out of the compartment to maintain a proper condensing operation
- Maximum ambient air temperature 40°C; maximum input water temperature 35°C
- 150mm gap required either side for airflow Water: 3/4" BSP
- Please remember to include appropriate collar size at the time of your ice machine purchase.
- Dimension specification refers to overall size of ice maker product including head, collar and bin.
- Drain: 20mm
- Ice cubed: 24 x 22 x 22mm
- Images gallery includes all configurable head and bin options

We use cookies to ensure you get the best experience on our website.  
[More information.](#)

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU  
+44 (0)1553 691122 | [sales@foster-gamko.com](mailto:sales@foster-gamko.com) |  
[www.fosterrefrigerator.com](http://www.fosterrefrigerator.com)

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.  
[More information.](#)