



The Refrigeration Experts

Product specification

PC140/6: Pan Chiller Refrigerator

16-125

Pan chiller



Features and benefits

- Flexible system accepts wide range of combinations of gastronorm pans
- Hinged cover fitted as standard for safe storage
- Foodsafe stainless steel is used throughout the units construction for a hygienic and robust finish.
- Fully microprocessor controlled, for fail-safe temperature control.
- Rubber feet are fitted as a standard to allow secure placement. Optional wall shelf bracket fixings are available to allow for positioning against a wall without a counter underneath.

We use cookies to ensure you get the best experience on our website.
[More information.](#)

Accept all

Decline all

Technical

Refrigerant	R290
Temperature	Refrigerator +1/+4°C
Electrical supply	230/50/1
Fuse rating (A)	2
Power (W)	140
Refrigerant mass (g)	30

Build

Finish ext/int	304 S/S & 304 S/S
Number of sections	1
System	Integral

Dimensions

Height (mm)	262
Width (mm)	392
Depth (mm)	1399
Gross volume (ltr)	50
Net volume (ltr)	30.6
Leg type	Feet
Gross weight (kg)	47
Net weight (kg)	32

Energy

Climate Class	3
GWP	3

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
+44 (0)1553 691122 | sales@foster-gamko.com |
www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.
[More information.](#)