



The Refrigeration Experts

Product specification



FPS2HR: 270 Ltr Prep Station Refrigerator

15-152

Two door refrigerator prep station

Features and benefits

- The fan assisted, forced air system delivers even temperature holding to both the counter base and top pan storage section
- The clever inner catch tray stops food from falling into the main storage area, quickening clean down times
- Hinged cover helps to maintain storage temperature and protect stored ingredients
- High quality 304 grade stainless steel finish is food safe and hard wearing
- This Prep Station has been designed with the operator in mind, with all pans and work bench height within comfortable reach
- Rear mounted refrigeration system maximises storage space and is easily accessible for servicing

We use cookies to ensure you get the best experience on our website.
[More information.](#)

Accept all

Decline all

Technical

Refrigerant	R290
Temperature	Refrigerator +1/+4°C
Electrical supply	230/50/1
Fuse rating (A)	10
Current (A)	4.4
Power (W)	640
Refrigerant mass (g)	150
Thermal heat rejection (W)	660

Build

Finish ext/int	304 S/S & 304 S/S
Number of sections	2
Section configuration	Left hinge,Right hinge
System	Integral
Worktop features	Saladette

Dimensions

Height (mm)	1060
Width (mm)	1140
Depth (mm)	850
Gross volume (ltr)	270
Leg type	Braked castors
Gross weight (kg)	134
Net weight (kg)	119.5

Energy

Climate Class	4
AEC (kWh)	3989.304
GWP	3

Options

Section type	Drawer
Worktop	Hinged night cover

Footnotes

- Raised pan storage area accepts pans with a maximum depth of 150mm
- Gastronorm pans are not supplied as standard with Prep Station - please order separately
- Pan Storage Temperature +3/+5°C

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
+44 (0)1553 691122 | sales@foster-gamko.com |
www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.
[More information.](#)