

Product specification



EP20BSR: Bakery Storage Refrigerator

25-122

Single door bakery refrigerator cabinet

Features and benefits

- Provides ideal storage of all the ingredients required in a busy bakery
- Refrigerator temperature between +1/+4°C suitable for high risk dairy products
- Designed to accept 30 x 18 trays
- 60 x 40cm bakery model on request
- Operates efficiently in ambient temperatures of up to 43°C

We use cookies to ensure you get the best experience on our website. <u>More information.</u>

Accept all Decline all

Technical

Refrigerant R290

Temperature Refrigerator

+1/+4°C

Electrical 230/50/1

supply

Fuse rating (A) 10

2.5 Current (A)

Power (W) 349

Refrigerant 110

mass (g)

Build

Finish ext/int S/S & Alu

Number of sections

Section Right hinge

1

configuration

System Integral

Dimensions

Height (mm) 2080 Width (mm) 700 Depth (mm) 935

Net volume 596.8

(ltr)

Braked Leg type

castors

Gross weight

(kg)

Net weight

(kg)

121

121

Energy

Climate Class 5

C **Energy grade**

EEI 42.01

AEC (kWh) 668

GWP 3

1.829 **Energy**

consumption (kWh/24hr)

We use cookies to ensure you get the best experience on our website. More information.

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU +44 (0)1553 691122 | sales@foster-gamko.com | www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website. <u>More information.</u>