



The Refrigeration Experts

Product specification



FHC540XM: 540 Ltr Heated Cabinet

22-112

Single door mobile heated cabinet

Features and benefits

- Mobile heated cabinet ideal for transporting heated product to the point of service
- Can maintain +70°C for up to 1 hour without power (depends on food type and quantity) When plugged in, food is kept at optimum hot food serving temperature (+70°C to 85°C)
- Fan assisted heating and insulated cabinet ensures uniform temperature for food holding
- Automatic safety cut-out (with warning light) prevents overheating
- Built in humidity reservoir keeps heated food in perfect condition prior to service
- Mechanical thermostat displays the temperature even when the unit is switched off, making it ideal for mobile usage

We use cookies to ensure you get the best experience on our website.
[More information.](#)

Accept all

Decline all

Technical

Temperature	Heated +70/+85°C
Electrical supply	230/50/1
Fuse rating (A)	10
Power (W)	1900

Build

Finish ext/int	304 S/S & 304 S/S
Number of sections	1
Section configuration	Left hinge
System	Integral

Dimensions

Height (mm)	1600
Width (mm)	780
Depth (mm)	718
Net volume ()	540
Leg type	Castors
GN size	2/1
Gross weight (kg)	160
Net weight (kg)	120

Energy

Climate Class	5
----------------------	---

Options

We use cookies to ensure you get the best experience on our website.
[More information.](#)

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
+44 (0)1553 691122 | sales@foster-gamko.com |
www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.
[More information.](#)