



The Refrigeration Experts

## Product specification



### XR415H: 410L Slimline Cabinet Refrigerator

33-178

Single door refrigerated cabinet

## Features and benefits

- Robust refrigeration at an affordable price
- Microprocessor controller provides simple and accurate temperature control to ensure your food retains its quality and texture
- Hard wearing stainless steel finish is stylish and practical
- In stock and available now for immediate shipping
- Full Foster warranty included

We use cookies to ensure you get the best experience on our website.  
[More information.](#)

Accept all

Decline all

## Technical

<b>Refrigerant</b>	R290
<b>Temperature</b>	Refrigerator +2/+8°C
<b>Electrical supply</b>	230/50/1
<b>Fuse rating (A)</b>	10
<b>Current (A)</b>	1.4
<b>Power (W)</b>	220
<b>Refrigerant mass (g)</b>	85
<b>Thermal heat rejection (W)</b>	190

## Build

<b>Cabinet type</b>	Standard
<b>Finish ext/int</b>	S/S & Alu
<b>Number of sections</b>	1
<b>Section configuration</b>	Left hinge
<b>System</b>	Integral

## Dimensions

<b>Height (mm)</b>	1875
<b>Width (mm)</b>	600
<b>Depth (mm)</b>	660
<b>Gross volume (ltr)</b>	410
<b>Net volume (ltr)</b>	284.83
<b>Leg type</b>	Roller castors rear, levelling bolts front
<b>Gross weight (kg)</b>	130.5
<b>Net weight (kg)</b>	125

## Energy

<b>Climate Class</b>	4
<b>Energy grade</b>	E
<b>EEI</b>	81.09
<b>AEC (kWh)</b>	873
<b>GWP</b>	3
<b>Energy consumption (kWh/24hr)</b>	2.393

## Options

**Drawer/Door material**    Glass

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU  
+44 (0)1553 691122 | [sales@foster-gamko.com](mailto:sales@foster-gamko.com) |  
[www.fosterrefrigerator.com](http://www.fosterrefrigerator.com)

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.

We use cookies to ensure you get the best experience on our website.  
[More information.](#)